GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department – Initiated departmental Inquiry against Sri Ch.Venkateswara Rao, Executive Engineer [Retd.], earlier worked in the O/o the Godavari Eastern Division, Dowlaiswaram, East Godavari District for violation of APCS (Conduct) Rules, 1964 – Inquiry conducted - Finalization of disciplinary proceedings – Further action dropped – Orders – Issued.

WATER RESOURCES (VIGILANCE-I/A2) DEPARTMENT

G.O.RT.No. 12 **Dated: 05-01-2018**

Read the following:-

1. From the Registrar, Institution of A.P. Lokayukta, Hyderabad, Lr.Dis.No.1172/2011/B2/490/2013, dated 24.01.2013.
2. G.O.Ms.No.21, I & CAD (Ser.VI-1) Dept., dated 13.02.2013.
3. G.O.Rt.No.152, Irrigation & CAD (Ser.VI-1) Dept., dated 13.02.2013.
4. From Sri Ch.Venkateswara Rao, Executive Engineer (Retd.), Dowlaiswaram, East Godavari District written statement of defence, dated 03.07.2013.
5. G.O.Rt.No.697, I & CAD (Ser.VI-1) Dept., dated 18.07.2013.
6. G.O.Rt.No.698, I & CAD (Ser.VI-1) Dept., dated 18.07.2013.
7. Letter No.CE(P)/ATP/V-4/Vol.11/602,dated.11.10.2017 received from the Chief Engineer(P), Water Resources Department, Ananthapuramu.
8. Govt., Memo.No.21113/Vig.I/A2/2011-24, dated 16.11.2017.
9. Explanation of Sri Ch.Venkateswra Rao, Executive Engineer (Retd.) dated.04.12.2017

<< >>

ORDER:-

In the reference 1st read above, the Registrar, Institution of A.P.Lokayukta, Hyderabad has informed that the Hon'ble Upa-Lokayukta vide orders dated 14.12.2012 in Complaint No.1172/2011/B2 have directed to forward the copies of complaint along with the documents, for taking action under CCA Rules, after giving an opportunity to the complaint as well as to the Public Servant and submit action taken report to the Institution of A.P. Lokayukta, Hyderabad.

2. In pursuance of the directions of the Hon'ble Upa-Lokayukta, Hyderabad, orders were issued sanction to initiate Departmental Proceedings against Sri Ch.Venkateswara Rao, Executive Engineer (Retd.) under Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 in the reference 2nd read above and the Articles of Charge was issued against Sri Ch.Venkateswara Rao, Executive Engineer (Retd.) for violation of Rule (3) and Rule (9) of APCS (Conduct) Rules, 1964, in the reference 3rd read above.

3. In the reference 4th read above, Sri Ch.Venkateswara Rao, Executive Engineer (Retd.) has submitted his written statement of defence with a request to exonerate him from the charge.

(PTO)

4. In the reference 5th read above, Sri K.Jalandhar, Incharge Chief Engineer, North Coast, Visakhapatnam was appointed as Inquiring Authority to enquire into the charges framed against Sri Ch.Venkateswara Rao, Executive Engineer (Retd.) and Sri D.Kasi Visweswara Rao, Incharge Superintending Engineer, Irrigation Circle, Dowlaiswaram was appointed as Presenting Officer to present the case on behalf of the disciplinary authority in the reference 6th read above.

5. In the reference 7th read above, the Chief Engineer (Projects), Water Resources Department, Ananthapuru and Inquiry Authority has submitted his Inquiry report.

6. In the reference 8th read above, while communicating the Inquiry Report to the charged officer Sri Ch.Venkateswara Rao, Executive Engineer (Retd.) has been directed to submit his explanation if any, on the findings of the Inquiring Authority.

7. In the reference 9th read above, the charged officer Sri Ch. Venkateswara Rao, Executive Engineer (Retired) while stating among other things, has requested to drop the charges against him on humanitarian grounds for finalizing the financial benefits at an early date.

8. Government after careful examination of the entire issue, have decided to drop further action against Sri Ch.Venkateswara Rao, Executive Engineer (Retd.). Accordingly, Government hereby drop further action against Sri Ch.Venkateswara Rao, Executive Engineer (Retd.)

9. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada shall take necessary further action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
SECRETARY TO GOVERNMENT

To
Sri Ch.Venkateswara Rao, Executive Engineer (Retd.) earlier worked in Godavari Eastern Division, Dowlaiswaraam, East Godavari District through The Engineer-in-Chief(AW), Water Resources Department, D.No:48-10-9/1, N.H. Feeder Road, Currency Nagar, Vijayawada.
The Engineer-in-Chief(AW), Water Resources Department, D.No:48-10-9/1, N.H. Feeder Road, Currency Nagar, Vijayawada.
Copy to:
The Water Resources (Ser.II) Department.
SF/SC.

//FORWARDED:: BY ORDER//

SECTION OFFICER